Detailed Specifications & Technical Data

ENGLISH MEASUREMENT VERSION

BELDEN
SENDING ALL THE RIGHT SIGNALS

AX104609 Panels - FiberExpress Ultra HD Patch Panel Housing 2U

For more Information
please call

1-800-Belden1

RoHS COMPLIANT
ENVIRONMENTALLY FRIENDLY

Description:

FiberExpress Ultra HD Patch Panel Housing 2U, Empty, Titanium

Image

Image:

Usage (Overall)

Suitable Applications:	FiberExpress Solutions, Backbone, Telecommunications Room, Main Distribution Room, Data Centers
Related Parts:	FiberExpress Ultra and Ultra High Density Frames, Cassettes, Bezels

Physical Characteristics (Connectivity)

Capacity

FXU HD Patch Panel Capacity:

Type	FX Ultra Frame/ Cassettes	FX ULTRA LC Duplex / MPO Connectors	FX Ultra HD Frame/ Cassettes	FX ULTRA HD LC Duplex / MPO Connectors
FiberExpress Ultra HD Patch Panel Housing 1U	4	48	4	72
FiberExpress Ultra HD Patch Panel Housing 2U	8	96	8	144
FiberExpress Ultra HD Patch Panel Housing 4U	12	192	16	288

Access

Front Connection:	1inch Pullout FXU / Static FXU HD
Termination Area:	Front Sliding Drawer

Dimensions

Dimensions:

Height (in.)	Width (in.)	Depth (in.)
3.470	19.000	16.550

Materials

Materials:

Description	Material
Panel	Steel/Aluminum
Door	Aluminum

Color

AX104609 Panels - FiberExpress Ultra HD Patch Panel Housing 2U

Color:	Titanium

Weight
Weight:	11.500 lbs.

Included Parts
Included Parts:	Screws (12-24); Screws (10-32); Screws (8-32); Tie Wraps; Kurly locks; Velcro Straps; Identification Labels

Packaging
Packaging:	Individually packaged in a cardboard box.

Mechanical Characteristics (Connectivity)

Storage Temperature Range:	-40°C To +70°C
Operating Temperature Range:	-10°C To +60°C

Applicable Specifications and Agency Compliance (Overall)

Applicable Standards & Environmental Programs
EU Directive 2002/95/EC (RoHS):	Yes
EU RoHS Compliance Date (mm/dd/yyyy):	02/23/2009
MII Order #39 (China RoHS):	EUP 50

Suitability
Suitability - Indoor:	Yes

Transmission Characteristics (Connectivity)

Notes (Overall)

Notes: For more information, please refer toour web site at http://www.belden.com. For proper installation refer to Installation Guide PX10558 included with the product or visit our web site.

Product Family
Part Numbers:

Description	Item Number
FiberExpress Ultra HD Patch Panel Housing 1U, Empty, Titanium	AX104607
FiberExpress Ultra HD Patch Panel Housing 2U, Empty, Titanium	AX104609
FiberExpress Ultra HD Patch Panel Housing 4U, Empty, Titanium	AX104611

Related Documents:

No related documents are available for this product

Put Ups and Colors:

Item #	Putup	Ship Weight	Color	Notes	Item Desc

Revision Number: 0   Revision Date: 10-12-2011

AX104609 Panels - FiberExpress Ultra HD Patch Panel Housing 2U

determining the applicability of legislation and regulations based on their individual usage of the product.